

Karin Lake Project (U-REE)



Key Lake Mine
 - 4.08 Mt @ 2.32% U₃O₈
 35 km

Pegmatite Lake Showing
Grab Sample:
 - 1.57% U₃O₈
 - 1.22% U₃O₈

Vee Lake Showing
Drill Intercept:
 - 0.45m @ 0.1% U₃O₈
 - 0.66m @ 0.05% U₃O₈
Grab Sample:
 - 2% U₃O₈
 - 1.7% U₃O₈

Pipe Lake Showing
Grab Sample:
 - 8% U₃O₈
 - 1.16% U₃O₈

East Karin Lake Showing
 - REE Anomaly
 - Anomalous radon samples associated with conductor
Grab Sample:
 - 2.7% ThO₂

Highway 914
 40 km

West Karin Lake Showing
 - Anomalous radon samples associated with strong conductor
Grab Sample:
 - 0.24% U₃O₈
 - 0.18% U₃O₈

Radioactive Pegmatite Dyke
Channel Sample:
 - 5m @ 2904 ppm TREE
 (0.6m @ 13,254 ppm TREE)



Marilyn Bay Showing
 - Anomalous radon samples associated with a strong conductor
Grab Sample:
 - 0.12% U₃O₈

Craig Bay Showing
 - Anomalous radon samples associated with a strong conductor
Drill Intercept:
 - 0.66m @ 500 ppm U

La Ronge
 190 km



Eagle Plains Resources Ltd.
 EPL:TSX-V

LEGEND

- DRILL COLLAR
- ✕ TRENCH
- ⊕ MINERAL OCCURENCE
- - - FAULT
- ▭ PROPERTY BOUNDARY
- ▭ GEOPHYSICAL ANOMALY
- ▭ GEOCHEMICAL ANOMALY (January 2024)